

**IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS.**

**DIRECTIONS FOR USE:** Goldazim 500SC is a flowable formulation to be mixed with water for application as a spray. The addition of a spreader-sticker is recommended when spraying hard-to-wet plants.

**RECOMMENDATIONS:**

**NOTE:** The following recommendations are for high volume spraying to the point of run-off. For concentrate spraying, adjust dilution rates accordingly.

Crop	Disease	Rate	Remarks
Stonefruit	Peach scab Brown rot	25-50ml/100 litres	Apply during the blossom period only. Do not exceed two applications per growing season. Use the high rate when disease pressure is severe.
Field tomatoes Beans Lettuce	Sclerotinia	2 litres/ha in 600-1000 litres of water	Apply during the early season period immediately after transplanting or seed emergence.
Beans	Botrytis	As above	Apply in a programme with alternative Botryticides. Use no more than two applications per season.
Wheat & Barley	Eyespot	300-500ml/ha in 200 litres of water	Apply only in second year crop. If control was below expectation use an alternative product in third year crop. Do not apply to more than two consecutive crops. Use 500ml rate at Feekes G.S.5 (Leaf sheaths have lengthened) and 300ml rate at Feekes G.S. 7-8). ("Shot blade").
Barley	Scald	300-500ml/ha in 200 litres of water	For combined eyespot and scald control, apply according to eyespot recommendation. For scald control apply the high rate at the first sign of disease. Apply no more than two applications per season.
Onions	Botrytis	500ml/ha in 400-600 litres of water	Apply at 'flag stage' and 14-21 days later. Treat again 30 days before harvest with a further application 10-14 days later if infection persists. Apply in a programme with alternative botryticides. Use no more than 4 applications per season.

**For the control of the causal organism of Facial Eczema in pasture.**

Goldazim 500SC controls the toxin producing organism *Pithomyces chartarum* in pasture. Where possible, pastures should be treated in anticipation of danger periods. Protection normally lasts for up to 6 weeks.

**Rate:** Apply 300ml/hectare in 100-200 litres of water. Ensure complete coverage of all areas likely to be grazed e.g. under fence lines, hedges and trees, etc. The addition of a spreader-sticker is recommended.

**Timing:** In early February treat enough pasture to graze all susceptible stock for 14 days. Treat further areas as required so that stock may graze 7-10 days after spraying. If heavy rain occurs within 3 days of treatment, pasture should be resprayed.

**Grazing:** During danger periods, limit grazing of susceptible stock to treated areas. In emergency situations, some worthwhile protection is present on pasture sprayed at least 24 hours before grazing.

**Compatibility:**

Goldazim 500SC is compatible with most commonly used pesticides. Do not mix with strongly alkaline materials such as Bordeaux mixture and lime sulphur.

**IT IS AN OFFENCE FOR users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**Withholding Periods:**

Stonefruit - Do not use after petal fall; Beans - 14 days; Tomatoes - 3 days; Lettuce - 21 days; Cereals - 60 days; Onions - 14 days.



**UN 3082. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CARBENDAZIM 50% SOLUTION),**  
Class: 9, Packaging group: III, HAZCHEM: 3Z. Do not carry this product on a passenger service vehicle.

**DANGER**  
KEEP OUT OF REACH OF CHILDREN



**GOLDAZIM<sup>®</sup> 500 SC**

**Fungicide**

**Fungicide for the control of specific diseases in a range of crops, and the causal organism of Facial Eczema.**

Active Ingredient: Contains 500 g/litre carbendazim in the form of a suspension concentrate. Also contains 56g/litre ethylene glycol.

**GROUP 1 FUNGICIDE**

Registered pursuant to the ACVM Act 1997 No. P5470  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions

In a transport emergency dial 111, Police or Fire Brigade.  
For specialist advice in an emergency only call 0800 734 607 (24 hours).



**Net Contents: 10 litres**

**READ LABEL BEFORE USE. SHAKE WELL BEFORE USE.**



**Qualified Person/Contractor:** Required.

**DANGER:** May cause heritable mutations/genetic defects in human cells. May damage fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure.

**WARNING:** This material may be harmful if swallowed. May cause internal organ damage from repeated oral exposure at high doses.

**PRECAUTIONS:** Read label before use. Do not handle until all safety precautions have been read and understood. Do not breathe fumes, vapours or spray.

Remove protective clothing and wash hands and face before meals and after work. Wash splashes of concentrate from the skin immediately. Avoid contact with skin or eyes and inhalation of spray mist. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area. Do not apply directly into or onto water.

**PERSONAL PROTECTION:** When mixing or applying, wear cotton overalls buttoned to the neck and wrist, a washable hat, chemical resistant gloves, frame goggles and face protection.

**STORAGE:** Store locked up in the original, unopened container in a cool, dry place, out of direct sunlight and away from stockfeed or foodstuffs. As a Class 9 Substance with Ecotoxicity Classifications, storage must be carried out in such a manner as to prevent contamination of waterways. It is recommended that The New Zealand Standard for the Management of Agrichemicals (NZS8409) is followed. See Safety Data Sheet for further information.

**ENVIRONMENTAL INFORMATION:** Toxic to the soil environment.

**VERY TOXIC TO AQUATIC LIFE.** Avoid contamination of any water supply with chemical or empty container. A strategy to minimise spray drift should be employed at all times when applying spray near aquatic environments.

**PRODUCT DISPOSAL:** Product should be used up according to label directions. If this is not possible, then product should be disposed of at an approved facility.

**CONTAINER DISPOSAL:** Triple rinse container and add residue to spray tank. Take to an AgRecovery depot for disposal.



**FIRST AID:** If swallowed do NOT induce vomiting. For advice, contact the National Poisons Centre on 0800 POISON (0800 764766) or a doctor immediately. If spilt on skin, remove contaminated clothing and wash affected areas of skin. DO NOT SCRUB THE SKIN. If concentrate is splashed in eyes, flush with running water for at least 15 minutes. If medical advice is needed, have product container or label at hand. Get medical advice/attention if you feel unwell.

**SPILLS:** Wear protective equipment to prevent skin and eye contamination and inhalation of vapors. Contain and prevent contamination of drains and waterways. Use absorbent, soil, vermiculite, attapulgite bentonite or clay absorbent. Collect and seal in plastic lined drums for disposal in an authorised landfill. Wash the spill zone down with excess water avoiding contamination of any water body.

**General:** Goldazim 500SC is a benzimidazole fungicide recommended for the control of specific diseases in a range of crops.

**IMPORTANT – RESISTANCE MANAGEMENT:** Goldazim 500SC is a GROUP 1 FUNGICIDE. Resistance to Goldazim 500SC and related benzimidazole (MBC) fungicides has developed. In order to help prevent further development of resistant strains, use strictly in accordance with label instructions. Alternate with fungicides from alternative chemical groups.

**Notice to Buyer:** Careful tests have proved that the product is suitable for the recommended purposes when used in accordance with our instructions. However, since storage and use of product are beyond our control, we do not therefore accept any liability for damage or loss of efficacy which may result from the use of this product, whether used in accordance with the directions or not. We are liable for a consistent quality of the product, but the risk of its storage and use is not borne by us.

**Registered to and Distributed by:**

Adria New Zealand Limited.

P.O. Box 535,

407 State Highway 16 Kumeu, Auckland.

Ph: 09 412 9817.

[www.adria.nz](http://www.adria.nz)

**Batch number and manufacturing date:** See on packaging

