

Triactiv™

Surfactant Complex

0.6 – 0 – 0

GUARANTEED ANALYSIS

Total Nitrogen (N).....0.60%

0.4% Water Soluble Nitrogen

0.2% Ammoniacal Nitrogen

Derived from barley protein hydrolysate, wheat protein hydrolysate and ammonium lignosulfonate

ALSO CONTAINS NON-PLANT FOOD INGREDIENTS

Active Ingredients

68.6% Oxirane 2-methyl polymer with oxirane

KEEP OUT OF REACH OF CHILDREN

CONTENTS

Metric Volume	Metric Weight
<input type="checkbox"/> 10 L	11.0 kg
<input type="checkbox"/> 115 L	126.8 kg
<input type="checkbox"/> 1000 L	1102.4 kg

**MITCHELL
PRODUCTS**

LIVING TURF®
Scientific Turf Management

Manufactured by Mitchell Products LLC | 856.327.2005 | tricure.com

Distributed by Living Turf | 24D Allright Place, Mount Wellington,
Auckland 1060 www.livingturf.com.nz | 0800 428 268

**SHAKE WELL
BEFORE USE**



WARNING

Irritant to eyes, skin,
and ingestion.

- Use proper gloves and goggles when handling and wash hands before touching eyes or eating.
- Get medical advice/attention if you feel unwell.
- Dispose of contents/ container in accordance with local/regional/national and international regulations.

GENERAL INFORMATION

Triactiv is an enhanced soil surfactant for heat and drought-induced high-stress turfgrass conditions.

DIRECTIONS FOR USE

Shake well before use. Applications should begin in early spring, before the first signs of heat-related stress appear. It can also be applied curatively on existing dry areas, localized dry spots (LDS), and drought-affected turf. Immediate watering-in is not necessary, as Triactiv is not phytotoxic. For best results, water into the soil within 24 hours of application to the depth of the rootzone.

SPRAY APPLICATION RATES

Spray Application Rates	Usage
12 L per hectare or 120 ml per 100 m ²	Early Curative
24 L per hectare or 240 ml per 100 m ²	Severe Curative

TANK MIXING

Triactiv has shown to be safe when combined with most fertilizers and soil amendments. Field testing should be done on a small area before spraying to ensure safety concerns are met. Triactiv may increase the rate of absorption of other products into the leaf when applied together. Some settling can occur. This does not affect efficacy. If residuals remain, add water, shake, and add to spray tank.



Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

PRECAUTIONARY STATEMENTS

- Contact with the eyes can cause irritation, excessive watering, and redness.
- Overexposure to skin may cause itching and redness.
- Harmful if swallowed. May cause diarrhea, nausea and vomiting.
- Wear approved eye protection and clothing.
- Keep out of reach of children.

IN CASE OF CONTACT

- **EYES:** If eye exposure occurs, wash with water for at least 15 minutes. Call a physician.
- **SKIN:** Eye and skin irritant. Wash skin and clothing thoroughly with water after exposure.
- **INGESTION:** Contact physician or poison-control center. If victim is conscious and able to swallow, quickly give milk or water to dilute. Do not give sodium bicarbonate, vinegar, or fruit juices. Never give anything by mouth if victim is unconscious or having convulsions. Induce vomiting only upon advice of a physician.

STORAGE – USE – DISPOSAL

Avoid freezing or allow to warm/thaw before use. Store in an approved facility out of reach of children/unauthorized personnel. Store in original container. Do not reuse empty containers. Containers may be disposed of after thorough rinsing according to RCRA and all applicable government regulations.

WARRANTY: Seller warrants that this material is suitable for the purpose stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any contrary to such directions. Seller makes no other expressed or implied warranty. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the materials as to which a claim is made.