

SAFETY DATA SHEET

According to HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: Dicamba 500SL

Product Use: Herbicide

Restriction of Use: Refer to Section 15

New Zealand Supplier: Adria Crop Protection Solutions

Address: 407 State Highway 16

Kumeu 0841, Auckland

Telephone: +64 9 412 9817 Fax: +64 9 412 9807 Website: www.adria.nz

Emergency No: 0800 734 607 (24hr)3

0800 764 766 (National Poison Centre)

Date of SDS Preparation: 17 October 2018

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval No: HSR000442

Pictograms:







Irritant

Chronic

Ecotoxic

Signal Word: Warning

HSNO Classification	Hazard Code	Hazard Statement	GHS Category
6.1E (oral)	H303	May be harmful if swallowed.	Acute Tox. 5
6.1E (dermal)	H313	May be harmful in contact with skin.	Acute Tox. 5
6.3A	H315	Causes skin irritation.	Skin Irrit. 2
6.4A	H319	Causes serious eye irritation.	Eye Irrit. 2A
6.9B	H373	May cause damage to organs through prolonged or repeated exposure.	STOT RE 2
9.1A	H410	Very toxic to aquatic life with long lasting effects.	Aquatic Chronic 1
9.2A	H421	Very toxic to the soil environment.	
9.3B	H432	Toxic to terrestrial vertebrates.	
9.4B	H442	Toxic to terrestrial invertebrates.	

Product Name: Dicamba 500SL Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 17 October 2018 Tel: 64 9 475 5240 www.techcomp.co.nz

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read label before use.
P260	Do not breathe fumes, mist or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in Section 8.

Response code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P362	Take off contaminated clothing and wash before re-use.
P391	Collect spillage.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Refer to Section 13.

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Content (%w/w)	CAS NUMBER.
Dicamba	50	1918-00-9
Not hazardous	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

If on Skin Take off contaminated clothing and wash before re-use. Wash affected

areas with soap and water. If skin irritation occurs: Get medical

advice/attention.

If Swallowed If swallowed do NOT induce vomiting. Never give anything to an

unconscious person. IF SWALLOWED: Immediately call a POISON CENTER

or doctor/physician.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes

difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion: May be harmful if swallowed.

Inhalation: Not applicable.

Skin: May be harmful if in contact with skin. Causes skin irritation.

Eye: Causes serious eye irritation.

Chronic: May cause damage to organs through repeated or prolonged exposure.

Product Name: Dicamba 500SL Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 17 October 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

Treatment: Treat according to symptoms (decontamination, vital functions), no known

specific antidote.

Section 5. Fire Fighting Measures

Hazard Type This product is not flammable or combustible.	
Hazards from products If involved in a fire, it will emit hydrogen chloride and program organization organization.	
Suitable Extinguishing media	Dry chemical, water spray, foam, carbon dioxide.
Recommended protective clothing & Precautions for firefighters	Wear SCBA and chemical-protective clothing.
HAZCHEM CODE	3Z

Section 6. Accidental Release Measures

Personal precautions:

Use protective clothing as per Section 8. Respiratory protection equipment may be necessary. Avoid contact with skin, eyes and clothing. Remove contaminated clothes and shoes immediately. Wash contaminated clothing before reusing.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Spill and Disposal procedures:

Absorb spills with inert material and place in waste containers. Wash area with water and absorb with further inert material. Place in waste containers. Dispose of waste safely, according to Local Council regulations.

Section 7. Handling and Storage

Precautions for Handling:

- Read label before use.
- Do not breathe fumes, mist or spray.
- Wash hands thoroughly after handling.
- · Ensure adequate ventilation.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store securely out of reach of children.
- Keep away from heat and protect from sunlight.
- Protect against freezing.
- Refer to the current standard NZS8409 Management of Agrichemicals.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

TWA STEL Substance ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or

Product Name: Dicamba 500SL Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 17 October 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz

narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2017 9TH EDITION.

Engineering Controls / Industrial Hygiene

Ensure adequate ventilation.

Personal Protection Equipment



Eyes	Chemical goggles or face shield with safety glasses.
Hands	Wear suitable gloves resistant to chemical penetration e.g. nitrile rubber
	gloves with a minimum thickness of 0.4 mm.
Skin	Body protection (chemical protection suit, boots) must be chosen depending
	on activity and possible exposure.
Respiratory	Wear respiratory protection if ventilation is inadequate. Use particle filter
	with medium efficiency for solid and liquid particles.
General	Keep away from food, drink and animal feedstuffs. No eating, drinking or
	smoking during use. Wash hands and face before breaks and after work.

Section 9 Physical and Chemical Properties

Annoaranco	Liquid
Appearance	•
Colour	Amber
Odour	Amine odour
Odour Threshold	Not available
pH	7.5
Melting/Boiling Point	>100°C
Freezing Point	Not available
Flash Point	Not applicable
Flammability	Not available
Upper and Lower	Not available
Explosive Limits	
Vapour Pressure	Not available
Vapour Density	Not available
Density	1120 g/L
Water Solubility	Not available
Log P Octanol / water	Not available
at 20°C	
Ignition Temperature	Not available
Decomposition	Not available
Temperature	
Viscosity	Not available
Particle Characteristics	Not available
Surface tension	Not available

Section 10. Stability and Reactivity

Stability of Substance This product is stable under normal conditions.	
Possibility of hazardous	None known.
reactions	
Conditions to Avoid	Temperatures below 0 °C
Incompatible Materials	Oxidizing agents, acids and alkali.
Hazardous Decomposition	None known.
Products	

Product Name: Dicamba 500SL
Date of SDS: 17 October 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Section 11 Toxicological Information		
Section 11 Invicological Information	~ 44	

Acute Effects:

Swallowed	May be harmful if swallowed. Acute oral LD50 >1500 mg/kg
Dermal	May be harmful if in contact with skin.
Inhalation	Not applicable.
Eye	Causes serious eye damage.
Skin	Causes skin irritation.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive	Not applicable.
Toxicity	
Germ Cell	Not applicable.
Mutagenicity	
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	May cause damage to organs through prolonged or repeated
	exposure.

Section 12. Ecotoxicological Information

Ecological effects	9.1A = Very toxic to aquatic life with long lasting effects.	
information	9.2A = Very toxic to the soil environment.	
	9.3B = Toxic to terrestrial vertebrates.	
	9.4B = Toxic to terrestrial invertebrates.	
Persistence and	No data available	
degradability		
Bioaccumulation	No data available	
Mobility in Soil	No data available	
Other adverse effects	No data available	
Acute fish toxicity:	LC50 (96 h) for rainbow trout and bluegill sunfish 135 mg/L	
Toxicity for daphnia:	LC50 (48 h) 110 mg/L	
Toxicity to algae:	LC50 41 to >250 mg/L	
Precautions:	Do not allow to enter waterways.	

Section 13. Disposal Considerations

Disposal Method:

Triple rinse container and add residue to spray tank. Return empty container to an AgRecovery collection point for disposal.



Empty container precautions:

Avoid contamination of any water supply with chemical or empty container.

Precautions or methods to avoid: Avoid release to the environment.

Product Name: Dicamba 500SL
Date of SDS: 17 October 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

This product is classified as a Dangerous Good for transport in NZ; NZS 5433:2012



Road, Rail, Sea and Air Transport

UN No	3082	
Class - Primary	9	
Packing Group	III	
Proper Shipping Name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE (Dicamba)	
Marine Pollutant	Yes	
Special Provisions-	If the product's individual container is below 5L/kg, it can be	
Limited Quantities	transported as a non-DG as long as the product packaging is still	
	labelled as per DG requirements and the driver is given safety	
	information in accordance with Chapter 3.4 of the UNRTDG.	

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2017

EPA Approval Code: HSR000442

HSNO Classification: 6.1E (oral, dermal), 6.3A, 6.4A, 6.9B, 9.1A, 9.2A, 9.3B, 9.4B

HSW (HS) Regulations 2017	Trigger Quantity		
Certified Handlers	Not required		
Location Certificate	Not required		
Signage Trigger Quantities (Schedule 3)	100L (9.1A)		
Emergency Response Plan (Schedule 5)	100L (9.1A)		
Secondary Containment (Schedule 5)	100L (9.1A)		
Tracking (Schedule 26)	Not required		
For all further controls	Refer to EPA <u>www.epa.govt.nz</u> for controls		
	document - HSR000442		
HSNO Additional Controls (Restrictions of use)			
77A	The substance must not be applied onto or		
	into water.		
Hazardous Property Controls Notice 2017			
HPC Notice Part 4 Clause 47	Equipment for class 9 substances must be		
	appropriate		
HPC Notice Part 4 Clause 48	Records of application of class 9 pesticides		
	and plant growth regulators		
HPC Notice Part 4 Subpart A	Site and storage controls for class 9		
	substances		
HPC Notice Part 4 Subpart C	Qualifications required for application of		
	class 9 pesticides.		
ACVM Act and Regulations			
ACVM Approval No	P7649		
See <u>www.foodsafety.govt.nz</u> for registration			
controls			

Product Name: Dicamba 500SL
Date of SDS: 17 October 2018

Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

Section 16 Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label. The data contained in this safety data sheet is based on our current knowledge and describes the product only with regard to safety requirements. The data does not describe the products properties. Neither should any agreed property nor the suitability of the product for any specific purpose be deduced from the data contained in the safety data sheet. It is the responsibility of the recipient of the product to ensure any existing laws and legislation are observed.

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices Nov 2017 edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2012
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact Adria, if further information is required.

Issue Date: 17 October 2018 Review Date: 17 October 2023

Product Name: Dicamba 500SL Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 17 October 2018 Prepared by: Technical Compliance Consultants (NZ) Ltd Tel: 64 9 475 5240 www.techcomp.co.nz