

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### Section 1: Identification

Product name : PRIMO MAXX II

Design code : A19238C

#### Manufacturer or supplier's details

Company : Syngenta Crop Protection Limited

Address : Level 4, 60 Parnell Road, Parnell  
Auckland  
New Zealand

Telephone : 09 306 1500 (weekdays)

Emergency telephone number : 0800 POISON (0800 764766) (National Poisons & Hazchem  
Information Centre)  
0800 734 607(Syngenta - 24 hours)

Telefax : None

#### Recommended use of the chemical and restrictions on use

Recommended use : Plant growth regulator

### Section 2: Hazard identification

#### GHS Classification

Flammable liquids : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitisation : Sub-category 1B

Hazardous to the aquatic  
environment - chronic hazard : Category 3

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

H317 May cause an allergic skin reaction.  
 H332 Harmful if inhaled.  
 H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

#### **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P261 Avoid breathing mist or vapours.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

#### **Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
 P362 + P364 Take off contaminated clothing and wash it before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### **Storage:**

P403 Store in a well-ventilated place.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
(2-methoxymethylmethoxy)propanol	34590-94-8	>= 30 -< 50
trinexapac-ethyl (ISO)	95266-40-3	>= 10 -< 20
benzenesulfonic acid, C10-13-alkyl derivs., calcium salts	1335202-81-7	>= 3 -< 10
2-methylpropan-1-ol	78-83-1	>= 1 -< 10

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### Section 4: First-aid measures

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.

In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.

If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.  
May cause an allergic skin reaction.  
Harmful if inhaled.

Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### Section 5: Fire-fighting measures

Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam

Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Sulphur oxides

Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Hazchem Code : 3Z

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### Section 7: Handling and storage

Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control param-	Basis
------------	---------	------------	----------------	-------

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

		(Form of exposure)	ters / Permissible concentration	
(2-methoxymethylethoxy)propanol	34590-94-8	WES-STEL	150 ppm 909 mg/m <sup>3</sup>	NZ OEL
Further information: Skin absorption				
		WES-TWA	100 ppm 606 mg/m <sup>3</sup>	NZ OEL
Further information: Skin absorption				
trinexapac-ethyl (ISO)	95266-40-3	TWA	50 ppm 5 mg/m <sup>3</sup>	ACGIH
2-methylpropan-1-ol	78-83-1	WES-TWA	50 ppm 152 mg/m <sup>3</sup>	NZ OEL
		TWA	50 ppm	ACGIH

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

### Hand protection

Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm

Remarks : Wear protective gloves. The choice of an appropriate glove

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

Personal protective equipment should comply with relevant national stdards

### Section 9: Physical and chemical properties

Appearance	: clear
Colour	: yellow
Odour	: strong
Odour Threshold	: No data available
pH	: 2.8 Concentration: 100 %w/v
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 78 °C Method: Pensky-Martens closed cup, Non-equilibrium method
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.03 g/cm <sup>3</sup> (20 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	340 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	98 mPa.s ( 20 °C)
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Surface tension	:	30.5 mN/m
Particle characteristics		
Particle size	:	No data available

---

### Section 10: Stability and reactivity

Reactivity	:	None reasonably foreseeable.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	No decomposition if used as directed.
Incompatible materials	:	None known.
Hazardous decomposition products	:	No hazardous decomposition products are known.

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### Section 11: Toxicological information

Exposure routes : Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 2.85 - 5.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

#### Components:

##### **(2-methoxymethyl)ethoxy)propanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): 3.35 mg/l  
Exposure time: 7 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): 9,510 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### **trinexapac-ethyl (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): 4,460 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.69 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 4,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Acute oral toxicity : LD50 (Rat): 4,445 mg/kg  
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**2-methylpropan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity  
Acute dermal toxicity : LD50 (Rabbit): 2,460 mg/kg

**Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Result : No skin irritation

**Components:****trinexapac-ethyl (ISO):**

Species : Rabbit  
Result : No skin irritation

**benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species : Rabbit  
Result : Irritating to skin.

**2-methylpropan-1-ol:**

Result : Irritating to skin.

**Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

**Product:**

Species : Rabbit  
Result : No eye irritation

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### Components:

#### **trinexapac-ethyl (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

#### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.

#### **2-methylpropan-1-ol:**

Result	:	Risk of serious damage to eyes.
--------	---	---------------------------------

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### Product:

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	The product is a skin sensitiser, sub-category 1B.

### Components:

#### **trinexapac-ethyl (ISO):**

Test Type	:	Local lymph node assay (LLNA)
Species	:	Mouse
Result	:	Does not cause skin sensitisation.

#### **2-methylpropan-1-ol:**

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.
Remarks	:	Information given is based on data obtained from similar substances.

### **Chronic toxicity**

#### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **(2-methoxymethylmethoxy)propanol:**

Germ cell mutagenicity -	:	In vitro tests did not show mutagenic effects
Assessment	:	

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### **trinexapac-ethyl (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

Not classified due to lack of data.

### **Components:**

#### **trinexapac-ethyl (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

Not classified due to lack of data.

### **Components:**

#### **(2-methoxymethylethoxy)propanol:**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **trinexapac-ethyl (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

### **STOT - single exposure**

Not classified due to lack of data.

### **Components:**

#### **trinexapac-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **2-methylpropan-1-ol:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.  
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

### **STOT - repeated exposure**

Not classified due to lack of data.

### **Components:**

#### **trinexapac-ethyl (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### 2-methylpropan-1-ol:

May be harmful if swallowed and enters airways.

---

## Section 12: Ecological information

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l  
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 100 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 50.9 mg/l  
Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 12.9 mg/l  
End point: Growth rate  
Exposure time: 14 d

#### Components:

#### (2-methoxymethylethoxy)propanol:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 1,919 mg/l  
Exposure time: 48 h  
Test Type: static test

LC50 (Crangon crangon (shrimp)): > 1,000 mg/l  
Exposure time: 96 h

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.5 mg/l  
Exposure time: 22 d

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### trinexapac-ethyl (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 68 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : LC50 (Americamysis): 6.5 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 24.5 mg/l  
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 13.39 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Myriophyllum spicatum (Eurasian watermilfoil)): 1.2 mg/l  
Exposure time: 14 d

EC10 (Myriophyllum spicatum (Eurasian watermilfoil)): 0.011 mg/l  
End point: Growth rate  
Exposure time: 14 d

Toxicity to fish (Chronic toxicity) : EC10 (Pimephales promelas (fathead minnow)): 1.37 mg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.4 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

Toxicity to soil dwelling organisms : LC50 (Eisenia fetida (earthworms)): > 93 mg/kg  
Exposure time: 14 d

EC50 (Eisenia fetida (earthworms)): Calculated value > 9.3

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

mg/kg  
Exposure time: 14 d

Toxicity to terrestrial organisms : LD50 (Poephila guttata (zebra finch)): Calculated value 1,684 mg/kg  
End point: Acute oral toxicity

LD50 (Colinus virginianus (Bobwhite quail)): > 2,250 mg/kg  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
Exposure time: 48 h  
End point: Acute oral toxicity

LD50 (Apis mellifera (bees)): > 200 µg/bee  
Exposure time: 48 h  
End point: Acute contact toxicity

### benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:

Toxicity to fish : LC50 (Fish): > 1 - < 10 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.9 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 29 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.5 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 72 d  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.18 mg/l  
Exposure time: 21 d  
Remarks: Based on data from similar materials

### 2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

##### **(2-methoxymethylethoxy)propanol:**

Biodegradability : Result: Readily biodegradable.

##### **trinexapac-ethyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 3.9 - 5.5 d  
Remarks: Product is not persistent.

##### **benzenesulfonic acid, C10-13-alkyl derivs., calcium salts:**

Biodegradability : Result: Readily biodegradable.

##### **2-methylpropan-1-ol:**

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **trinexapac-ethyl (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

### Mobility in soil

#### Components:

##### **trinexapac-ethyl (ISO):**

Distribution among environmental compartments : Remarks: Moderately mobile in soils  
Stability in soil : Dissipation time: < 0.2 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

### Other adverse effects

#### Components:

##### **(2-methoxymethylmethoxy)propanol:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

##### **trinexapac-ethyl (ISO):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Remarks: Weight of Evidence

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.  
Remarks: Weight of Evidence

##### **2-methylpropan-1-ol:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

### Section 13: Disposal considerations

#### **Disposal methods**

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Refer to the product label for specific disposal/recycling information  
Otherwise, dispose of waste at an approved landfill or other approved facility that will ensure the substance does not exceed the tolerable exposure limit (TEL) or environmental exposure limit (EEL), where relevant, or will treat the substance so that it is rendered no longer hazardous.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Add rinsings to spray tank  
Recycle empty container through Agrecovery (0800 247 326, [www.agrecovery.co.nz](http://www.agrecovery.co.nz)).  
Empty containers can be landfilled, when in accordance with the local regulations.  
Do not re-use empty containers.

### Section 14: Transport information

#### **International Regulations**

##### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(TRINEXAPAC-ETHYL)  
Class : 9

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (TRINEXAPAC-ETHYL)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes
Remarks	:	This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TRINEXAPAC-ETHYL)
Class	:	9
Packing group	:	III
Labels	:	9
Hazchem Code	:	3Z

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

Marine pollutant : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

### Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### HSNO Approval Number

HSR101664

##### Tolerable Exposure Limits (TEL)

Not applicable

##### Environmental Exposure Limits (EEL)

Not applicable

##### HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Record keeping is not required

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

---

### Section 16: Other information

Revision Date : 28.07.2025  
Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
Syngenta	: Syngenta Occupational Exposure Limit
ACGIH / TWA	: 8-hour, time-weighted average
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	: Workplace Exposure Standard - Short-Term Exposure Limit
Syngenta / TWA	: Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

## PRIMO MAXX II

Version 1.0	Revision Date: 28.07.2025	SDS Number: S00028750756	Date of last issue: - Date of first issue: 28.07.2025
----------------	------------------------------	-----------------------------	--

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / 6N