HAZARD CLASSES 6.1E, 6.3A, 6.9A, 8.3A TOXIC, CORROSIVE, HSR002530

SAFETY WARNING: Harmful. May be harmful if swallowed or inhaled. Skin Irritant. Corrosive to eyes. Systemic toxicant-Lungs. If medical advice is needed: Have product container or label at hand.

PRODUCT SPILLAGE / **DISPOSAL:** Do not allow product to enter waterways, drains or sewers. Mix spillage in inert material such as soil or sawdust. Wash area with water and absorb on inert filler and dispose of in suitable landfill.

CONTAINER DISPOSAL: Triple rinse container and return to recycler. Alternatively, ensure container is completely empty, triple rinse, puncture and bury in landfill if permitted.

DIRECTIONS FOR USE

DIRECTIONS FOR USE		
SITUATION	USE RATE	CRITICAL COMMENTS
Spray tanks, hoses, lines and all associated spray equipment. When sprayer is to be re-used immediately.	120 grams per100L	Clean spray equipment immediately after spraying is completed. Drain the tank, then flush tank, boom and hoses with clean water for a minimum of 10 minutes. Half fill spray tank with clean water and begin agitation. Slowly add Boom Tank Cleaner and top up with water. Agitate vigorously for 15 minutes and recirculate. Use the hand lance or return hose to clean top of tank and around filter basket. Open spray booms and spray out. Re-fill with water, agitate for 5 minutes and recirculate before spraying out.
Persistent chemicals or end of season cleanout.	240 grams per100L	Allow mixture to stand overnight before spraying out.
Preparing sprayer for storage.		Do not give final rinse until required for use as Boom Tank Cleaner leaves a protective coating.
Nozzles and screens / filters.	30 grams per 10 Litres	Remove and clean separately. Immerse in solution of Boom Tank Cleaner and allow to stand for 15 minutes. Remove any residue with wire brush. Rinse in clean water.
Stain removal from spray equipment.	30 grams per 10 Litres	Mix Boom Tank Cleaner in a bucket and scrub stained areas with stiff brush. Wear rubber gloves.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

KEEP OUT OF REACH OF CHILDREN
READ LABEL BEFORE USE & SAFETY DIRECTIONS BEFORE OPENING OR USING

BOOM TANK CLEANER

Active Constituent: 850 g/Kg Sodium Tripolyphosphate 50 g/Kg Sodium Carbonate

FOR CLEANING OF SPRAYING EQUIPMENT

- DECONTAMINATES MOST PESTICIDE RESIDUES
- REMOVES STAINS AND SCALE DEPOSITS
- HELPS PROTECT FROM CORROSION



NET I Kg



GENERAL INSTRUCTIONS:

Boom Tank Cleaner is a mixture of chelating agents and detergents which can be used to cleanout spraying equipment and decontaminate most pesticide residues. Treatment with Boom Tank Cleaner should be carried out when changing between pesticide types and for end of season cleanup. For removal of SULFONYLUREA HERBICIDES the herbicide manfacturers recommendation should be followed which could require decontamination with a chlorine product such as SST Kleenup Granular.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre (Ph 13 11 26). If in eyes, hold eyes open and flood with water for at least 15 minutes and see a doctor. Additional information is listed in the Material Safety Data Sheet or visit www.sstnewzealand.co.nz for alternate contact details.

CONDITIONS OF SALE:

The use of Boom Tank Cleaner being beyond the control of the manufacturer, no warranty expressed or implied is given by SST Australia regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and SST Australia accepts no responsibility for any consequences whatsoever resulting from the use of this product.

PH NUMBER IN NZ IS NATIONAL POISONS CENTRE 0800 POISON (0800 764 766) 24 Hr number NZ + 61 418 844 861

Batch No:



SST Australia Pty Ltd ACN 052 845 833 70 Quantum Close, Dandenong, VIC 3175 Phone: (03) 9720 6306 IN AN EMERGENCY
DIAL 000
POLICE OR
FIRE BRIGADE



Date of Manufacture