

32kg Stainless Steel Commercial Spreader

Unique Features

- Heavy-Duty Construction: The robust frame and axle are designed for commercial use, ensuring long-lasting durability even in demanding environments, with stainless steel providing enhanced corrosion resistance for extended product life.
- Precision Rate Control: The adjustable rate control plate with easy-to-read A-Z settings allows for accurate material application, reducing waste and improving results.
- Pattern Adjustment System: The discharge chute can be fine-tuned (settings A, B, C) for left/right pattern control, enabling precise coverage and minimising overlap.
- Large Hopper Capacity: The high-volume hopper holds up to 32kg, allowing for fewer refills during large jobs and increasing operational efficiency.
- Dual Wheel Drive: Identical drive and free wheels make assembly simple and ensure smooth, reliable operation across various terrains.
- **Deflector Plate:** The deflector accessory enables precise edge spreading, minimising waste on sidewalks, fence lines and roughs for cleaner application.



| PRODUCT NAME | SUGGESTED RATES KG/HA | | NITROGEN APPLIED KG/HA | | LIVING TURF CBRIVSS | | ACCUPRO | | LESCO NUMBERS | | LESCO LETTERS | | EARTHWAY | |
|-------------------|-----------------------------|--------------|------------------------------|--------------|------------------------|--------------|-------------|--------------|------------------|--------------|------------------|--------------|-------------|--------------|
| | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate |
| MP CARBON CAL | 250 | 500 | 5 | 10 | М | Q | 0 | S | 14 | 18 | F | Н | 17 | 22 |
| MP CARBON GREEN | 250 | 500 | 22.5 | 45 | К | N | М | Р | 21 | 26 | J | М | 13 | 15 |
| MP CARBON SPORTS | 200 | 280 | 36 | 50.4 | н | 1 | I 1/2 | J 1/2 | 10 | 11 | D | D ½ | 11 ½ | 12 ½ |
| MP GREEN STARTER | 150 | 240 | 24 | 38.4 | F | G | G 1/2 | I | 8 | 9 | С | C 1/2 | 9 1/2 | 11 |
| MP HI PERFORMANCE | 160 | 240 | 49.6 | 74.4 | I | J | K | L | 17 | 12 | I | Е | 13 | 14 |
| MP HIGH K | 90 | 170 | 13.5 | 25.5 | D | F | F | Н | 6 | 8 | В | С | 7 | 10 |
| MP HUMOXY EC+ | 250 | 500 | | | F | J | Н | L | 15 | 19 | Е | I | 10 | 14 |
| MP K CAL PLUS | 250 | | | | ı | | К | | 18 | | Н | | 13 | |
| MP ORIGIN MINI | 180 | 270 | 50.4 | 75.6 | J | N | K 1/2 | Р | 11 | 15 | D 1/2 | Н | 13 | 18 |
| MP SPECTRUM MINI | 150 | 300 | 30 | 60 | J | N | K 1/2 | Р | 11 | 15 | D 1/2 | Н | 13 | 18 |
| MP SPRING START | 125 | 250 | 20 | 40 | F | н | G 1/2 | I 1/2 | 8 | 10 | С | D | 9 1/2 | 11 1/2 |
| MP SUPER CARBON | 250 | 500 | | | L | 0 | M 1/2 | P 1/2 | 13 | 16 | E 1/2 | G | 15 1/2 | 18 1/2 |
| MICRONA GYPSUM | 250 | 500 | | | J | М | L | 0 | 12 | 14 | E | F | 14 | 17 |
| MICRONA LIME | 250 | 500 | | | J | М | L | 0 | 12 | 14 | E | F | 14 | 17 |



| PRODUCT NAME | SUGGESTED RATES KG/HA | | NITROGEN APPLIED KG/HA | | LIVING TURF CBRIVSS | | ACCUPRO | | LESCO NUMBERS | | LESCO LETTERS | | EARTHWAY | |
|-----------------|-----------------------------|--------------|------------------------------|--------------|------------------------|--------------|-------------|--------------|------------------|--------------|------------------|--------------|-------------|--------------|
| | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate | Low rate | High rate |
| CALCIPRILL | 150 | 250 | | | J | L | L | N | 12 | 14 | Е | F | 14 | 16 |
| MAGPRILL | 150 | 250 | | | J | L | L | N | 12 | 14 | F | F | 14 | 16 |
| MESA 30 | 140 | 250.5 | 42 | 75.15 | ı | М | K | 0 | 17 | 22 | I | K | 13 | 17 |
| MESA SPORTS | 125 | 250 | 23.75 | 47.5 | F | М | Н | 0 | 16 | 22 | Н | K | 10 | 17 |
| MESA XP | 125 | 225 | 25 | 45 | F | N | Н | N | 16 | 14 | Н | F | 10 | 16 |
| MP COUCHMASTER | 125 | 250 | 28.75 | 57.5 | F | М | Н | 0 | 16 | 22 | Н | K | 10 | 17 |
| MP ORIGIN | 180 | 270 | 50.4 | 75.6 | N | Q | Р | S | 16 | 21 | Н | K | 18 | 22 |
| MP RENOBLEN | 200 | 400 | 32 | 64 | L | Р | Ν | R | 15 | 18 | G | I | 16 | 20 |
| MP SIX IRON | 200 | 300 | 40 | 60 | K | М | L 1/2 | N 1/2 | 12 | 14 | Е | F | 14 1/2 | 16 1/2 |
| MP SPECTRUM | 150 | 300 | 30 | 60 | K | N | М | Р | 15 | 17 | G | K | 15 | 18 |
| MP SUPER CARBON | 250 | 500 | 0 | 0 | М | Р | 0 | R | 14 | 17 | F | G 1/2 | 17 | 20 |
| MP TERRAMAXX | 500 | 1000 | 35 | 70 | R | Υ | Т | Υ | 18 | 22 | Н | J | 23 | 28 |
| MP TURF STARTER | 125 | 250 | 16.25 | 32.5 | н | J | J | K 1/2 | 10 | 11 | D | D 1/2 | 12 | 13 1/2 |
| UFLEXX | 100 | 165 | 46 | 75.9 | G | н | H 1/2 | I 1/2 | 9 | 10 | C 1/2 | D | 10.5 | 11.5 |
| UMAXX | 100 | 165 | 47 | 77.55 | G | н | H 1/2 | I 1/2 | 9 | 10 | C 1/2 | D | 10.5 | 11.5 |

